Appl. No. 09/918,844 Amdt. Dated May 24, 2004 Reply to Office action of April 23, 2004

Claim Amendments

1-19. (Canceled)

20. (Currently amended) A polytetrafluoroethylene (PTFE) material comprising:

aggregations of nodes;

short fibrils interconnecting the nodes to form <u>expanded</u> the aggregations; and long fibrils interconnecting the aggregations.

- 21. (Original) The material of claim 20 wherein the long fibrils have average lengths of about 100 to 1000 microns.
- 22. (Original) The material of claim 20 wherein the long fibrils have average lengths of about 500 to 1000 microns.
- 23. (Original) The material of claim 20 wherein the short fibrils have average lengths of about 10 to 30 microns.
- 24. (Original) The composite article as recited in claim 20, wherein the aggregations have densities of less than about 2.0 grams per cubic centimeter.
- 25. (Original) The composite article as recited in claim 20, wherein the nodes have densities of about 2.0 to 2.2 grams per cubic centimeter.

Appl. No. 09/918.844 Amdt. Dared May 24, 2004 Reply to Office action of April 23, 2004

- 26. (Currently amended) A polytetrafluoroethylene (PTFE) material comprising:
 - expanded aggregations of nodes, the nodes being interconnected by fibrils having average lengths of about 10 to 30 microns;
 - long fibrils having average lengths of about 500 to 1000 microns interconnecting the aggregations;
 - the aggregations having densities of less than about 2.0 grams per cubic centimeter; and
 - the nodes having average densities of about 2.0 to 2.2 grams per cubic centimeter.